



PATIENT INFORMATION LEAFLET

SCHEDULING STATUS: Unscheduled.
Category D: Complementary medicine.
Discipline: 34.7 Minerals.

PROPRIETARY NAME, STRENGTH, AND PHARMACEUTICAL FORM

Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™, 18 ppm, Liquid

READ ALL OF THIS LEAFLET CAREFULLY BECAUSE IT CONTAINS IMPORTANT INFORMATION FOR YOU

- **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** is available without a doctor's prescription, for you to treat a mild illness. Nevertheless, you still need to use **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** carefully to get the best results from it.
- Keep this leaflet. You may need to read it again.
- Do not share **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** with any other person.
- Ask your pharmacist or healthcare practitioner if you need more information or advice.

WHAT SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ CONTAINS

Each 1 ml of Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ contains:
ionic⁺ Colloidal Silver (18 ppm) 18 mcg.

The other ingredients are:

Deionised purified water.

Sugar-free.

WHAT SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ IS USED FOR

Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ may be used as an antimicrobial (anti-viral, anti-bacterial and anti-fungal) agent to assist with various conditions. It also exhibits anti-inflammatory properties.

It may assist in soothing a sore throat as well as various other conditions of the mouth, including oral thrush, ulcers, aphthous ulcers, lesions as well as painful gums and dentition, and may be used as a first line of defence against colds and flu.

It may also assist in the management of gastric ailments including diarrhoea, vomiting, gastritis, and mild food poisoning, as well as various urinary tract ailments.

It may alleviate various inflammatory conditions and it may support the immune system.

It serves as a nebulising liquid and may alleviate respiratory symptoms such as a cough, shortness of breath or tight chest. Refer to the **Bodymap™** on the **Silverlab** website, www.silverlab.co.za, for further information.

BEFORE YOU TAKE SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Do not take **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** if you are hypersensitive (allergic) to any of the ingredients.

Adults should not ingest and/or inhale more than 550 litres of 18 ppm ionic⁺ colloidal silver in their lifetime, an average of 8 litres per year, to prevent the possibility of Argyria developing. Although this is rare and appears to be purely cosmetic, excessive use may result in the body being unable to efficiently excrete the silver, resulting in deposits in the skin, internal organs and tissues. This may result in the skin becoming permanently discoloured a gray or blue-gray colour. There is no known effective treatment for it. Early signs of Argyria include discolouration of the conjunctival membranes, gums and on the nail beds, just above the moon of the nail. Should this occur, please discontinue use and contact the **Silverlab** customer care number below.

Please consult your doctor prior to use in the case of impaired liver and/or kidney function.

This medicine has not been evaluated by SAHPRA for quality, safety or intended use. This medicine is not intended to diagnose, treat, cure or prevent any disease.

PREGNANCY AND BREASTFEEDING

Safety during pregnancy and breastfeeding has not been established. If you are pregnant or breastfeeding, think you may be pregnant or are planning to have a baby, please consult your doctor, pharmacist or other healthcare practitioner for advice before taking this medicine.

TAKING OTHER MEDICINES WITH SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Take **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** two hours before or four hours after taking quinolone antibiotics, tetracycline antibiotics, penicillamine and thyroxine, when taking it orally. Use with caution in individuals taking blood thinning medication (eg. warfarin).

Always tell your healthcare practitioner if you are taking any other medicine.

HOW TO TAKE SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Do not share medicines prescribed for you with any other person. Always take **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** exactly as described in this leaflet, or as your doctor, pharmacist or healthcare practitioner has instructed you. You should check with your doctor, pharmacist or healthcare practitioner if you are unsure.

- Please note that only short-term use is recommended in the case of infants, toddlers and children and should not exceed 14 days, unless otherwise prescribed by a doctor.
- Please administer carefully to infants and small children whilst supporting them in an upright position.
- Use undiluted.
- Take on an empty stomach.
- For best results, retain in the mouth for two minutes before swallowing.

Colds and flu:

- Please continue for 10 days after all symptoms have disappeared.

Children 7 months-2 years of age: Administer 1 ml (using a paediatric medicator) once a day.

Children 3-5 years of age: Take 2,5 ml two to three times a day.

Children 6-12 years of age: Take 5 ml two to three times a day.

Adults: Take 10 ml-20 ml two to three times a day.

Sore throat, oral thrush, oral ulcers, aphthous ulcers, lesions, painful gums and dentition:

Children 7 months-5 years of age: Please use the **Silverlab Healing Spray™** or **Silverlab Healing Gel™** for the young ones.

Children 6-12 years of age: Gargle and swish 5 ml between the teeth for two minutes, three to four times a day. Spit out into a basin.

Adults: Gargle and swish 10 ml between the teeth for two minutes, four to eight times a day. Spit out into a basin.

Inflammation and immune support:

- Please administer carefully to infants and small children whilst supporting them in an upright position.

Children 7 months-2 years of age: Administer 1 ml (using a paediatric medicator) once a day.

Children 3-5 years of age: Swish 2,5 ml in the mouth and then swallow once a day.

Children 6-12 years of age: Swish 5 ml in the mouth and then swallow once a day.

Adults: Swish 10 ml in the mouth and then swallow once a day.

Gastric ailments and urinary tract ailments:

- Please note that gastric upsets, vomiting and diarrhoea can be dangerous, especially in infants and young children. Consult your doctor if there is no improvement within 24 hours.
- Drink adequate amounts of water with electrolytes between doses to help flush out toxins and rehydrate.
- Supplement with a suitable probiotic.

Children 7 months-2 years of age: Administer 5 ml (using a paediatric medicator) two to three times a day until condition clears.

Children 3-5 years of age: Take 10 ml-15 ml initially. Do not eat or drink for 20 minutes. Then take 5 ml-7,5 ml two to three times a day until condition clears.

Children 6-12 years of age: Take 30 ml-50 ml initially. Do not eat or drink for 20 minutes. Then take 15 ml-25 ml three times a day until condition clears.

Adults: Take 100 ml initially. Do not eat or drink for 20 minutes. Then swallow 50 ml–100 ml three times a day until condition clears.

- If gastritis or urinary tract symptoms do not improve within 3 days or if they deteriorate, please consult your doctor.

Respiratory Ailments:

- Nebulising of children must be done under the prescription or supervision of a doctor.
- If symptoms do not improve or if they deteriorate, please consult your doctor. Improvement should be noticed within 1-6 doses.
- Symptoms may include cough, shortness of breath or tight chest, which may be accompanied with a headache or generalised weakness.
- Please breathe normally, taking slow deep breaths, whilst nebulising to avoid possible dizziness or light-headedness due to hyperventilation.
- Best results are obtained whilst nebulising in an upright position.
- Alternate between inhaling through the nose and then through the mouth, if possible.
- Use undiluted.

Children 6-12 years of age:

Days 1 and 2: Nebulise with 2,5 ml every hour until symptoms subside significantly or resolve (generally within 2 to 12 doses), or as prescribed.

Day 3 onwards: Nebulise with 2,5 ml two to three times a day until there is a complete resolution of symptoms (up to 14 days), or as prescribed.

Children 12 years of age and older:

Days 1 and 2: Nebulise with 5 ml every hour until symptoms subside significantly or resolve (generally within 2 to 12 doses), or as prescribed.

Day 3 onwards: Nebulise with 5 ml two to three times a day until there is a complete resolution of symptoms (up to 14 days), or as prescribed.

Adults:

Days 1 and 2: Nebulise with 5 ml every hour until symptoms subside significantly or resolve (generally within 2 to 12 doses), or as prescribed.

Day 3 onwards: Nebulise with 5 ml two to three times a day until there is a complete resolution of symptoms (up to 14 days), or as prescribed.

IF YOU TAKE MORE SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ THAN YOU SHOULD

In the event of overdosage, consult your doctor, pharmacist or the **Silverlab** customer care telephone number. Should none of these be available, contact the nearest hospital or poison control centre.

IF YOU FORGET TO TAKE SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Do not take a double dose to make up for a missed dose.

POSSIBLE SIDE EFFECTS

Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ may have side effects.

Please note that colloidal silver use (especially when taken orally or nebulised) may result in a Herxheimer reaction. This is when symptoms seem to temporarily worsen and can include headache, rash and even fever. As the pathogen dies off, these symptoms present and may last from a few hours up to 10 days. While this period may be uncomfortable, it is indicative that the colloidal silver is working. If it is tolerable and your healthcare practitioner agrees, please continue with the treatment. Alternatively you can temporarily reduce the dose for a day or two and then gradually increase the dose to the recommended amount. It is also beneficial to drink plenty of water to help eliminate the toxins from the body.

Not all side effects reported for **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** are included in this leaflet. Should your general health worsen or if you experience

any untoward effects while taking this medicine, please consult your doctor, pharmacist or other healthcare practitioner for advice. If you notice any side effects not mentioned in this leaflet, please inform your doctor, pharmacist or healthcare practitioner.

STORAGE AND DISPOSING OF SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Store all medicines out of the reach of children.

Store in a cool, dark place, below 25 °C.

Protect from direct sunlight and heat.

Do not freeze.

Store in the original bottle.

Keep the bottle tightly closed.

Replace the protective cap after each use.

Do not use after the expiry date stated on the bottle.

Do not use **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** if you notice visible signs of deterioration.

Do not dispose of unused medicine in drains or sewerage systems (e.g. toilets).

PRESENTATION OF SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

- 200 ml and 500 ml amber, round glass bottles with a polypropylene cap and a low-density polyethylene/ethylene vinyl acetate liner.
- 200 ml, 500 ml and 1 L amber, round PET bottle with a polypropylene cap and a polyethylene liner.
- 2,5 L semi-transparent, matt square high density polyethylene plastic bottle with a polypropylene cap and a polyethylene liner.

IDENTIFICATION OF SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Clear colourless liquid.

REGISTRATION NUMBER

TBA.

NAME AND ADDRESS OF REGISTRATION HOLDER

Manufactured by:

Silverlab Healthcare

27 Malta Road

Cosmo Business Park

Roodepoort

2188

Product of South Africa
Customer care +27 83 450 2112
Email: info@silverlab.co.za
www.silverlab.co.za

ACCESS TO THE CORRESPONDING PROFESSIONAL INFORMATION

See information on the website above.

THIS LEAFLET WAS LAST REVISED ON

10 March 2021.

PASIËNTINLIGTINGSBLAADJIE

SKEDULERINGSSTATUS: Ongeskeduleer.
Kategorie D: Komplementêre Medisyne.
Dissipline: 34.7 Minerale.

HANDELSNAAM, STERKTE, EN FARMASEUTIESE FORMAAT

Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ (Silverlab Kolloïdale Silwer Daaglikse Immunversterker & Anti-Mikrobies), 18 dpm, Vloeistof

LEES DIE HELE INLIGTINGSBLAADJIE NOUKEURIG DEUR, DIT BEVAT BELANGRIKE INLIGTING VIR JOU

- **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** is sonder 'n doktersvoorskrif beskikbaar en is 'n aanvullende (komplementêre) medisyne. Jy moet **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** egter nog steeds versigtig gebruik om die beste resultate te verkry.
- Hou hierdie voubiljet, dit mag dalk nodig wees dat jy dit weer lees.
- Moenie **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** met enige ander persoon deel nie.
- Raadpleeg jou apteker of gesondheidswerker indien jy meer inligting of advies benodig.

WAT SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ BEVAT

Elke 1 ml Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ bevat:

ioniese⁺ Kolloïdale Silwer (18 dpm) 18 mkg.

Die ander bestanddele is:

Gedeïoniseerde gesuiwerde water.

Suikervry.

WAARVOOR SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

GEBRUIK WORD

Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ kan gebruik word as 'n antimikrobiële (anti-virale, anti-bakteriese en swamwerende) middel om met verskillende toestande te help. Dit vertoon ook anti-inflammatoriese eienskappe.

Dit mag pyn in die keel verlig, asook verskeie ander kwale in die mond, insluitend sproei, ulkuse, afteuse ulkuse, letsels, pynlike tandvleis en tandheelkunde kwale, en kan gebruik word as 'n eerste verdedigingslinie teen verkoue en griep.

Dit kan ook behulpsaam wees met die behandeling van maag probleme, insluitend diarree, braking, gastritis en ligte voedselvergiftiging, sowel as urienweg kwale.

Dit kan verskillende inflammatoriese toestande verlig en mag help met ondersteuning van die immuunstelsel.

Dit dien as 'n vernevelende vloeistof en kan asemhaling simptome soos hoes, kortasem of stywe bors verlig. Verwys na die **Bodymap™** op die **Silverlab** webwerf, www.silverlab.co.za, vir verdere inligting.

VOORDAT SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

GEBRUIK WORD

Moenie **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** gebruik indien jy hipersensitief (allergies) is vir enige van die bestanddele nie.

Volwassenes mag gedurende hul leeftyd nie meer as 550 liter 18 dpm ioniese⁺ kolloïdale silwer inneem en/of inasem nie, of 'n gemiddeld 8 liter per jaar, om die moontlikheid van die ontwikkeling van Argirië te voorkom. Alhoewel dit skaars en slegs kosmeties is, kan oormatige gebruik daartoe lei dat die liggaam die silwer nie effektief kan uitskei nie, wat mag lei tot afsettings in die vel, inwendige organe en weefsels. Dit mag die vel permanent verkleur tot 'n gryns of blou-gryns kleur. Daar is geen effektiewe behandeling daarvoor bekend nie. Vroeë tekens van Argirië sluit in verkleuring van die konjunktiva, tandvleis en op die naelbed, net bokant die maan van die nael. As dit sou gebeur, moet u asseblief dadelik ophou om ioniese⁺ kolloïdale silwer te gebruik, en die **Silverlab** kliëntediens nommer kontak.

Raadpleeg u dokter voor gebruik in die geval van verswakte lewer- en/of nierfunksie.

Hierdie medisyne is nie deur SAHPRA geëvalueer vir kwaliteit, veiligheid of beoogde gebruik nie. Hierdie medisyne is nie bedoel om enige siekte te diagnoseer, te behandel, te genees of te voorkom nie.

SWANGERSKAP EN BORSVOEDING

Veiligheid in swangerskap en borsvoeding is nie vasgestel nie. Indien jy swanger is of borsvoed, of vermoed dat jy dalk swanger mag wees of beplan om swanger te raak, raadpleeg jou dokter, apteker of ander gesondheidswerker vir advies voor gebruik van die middel.

AS JY ANDER MEDISYNE SAAM MET SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ NEEM

Neem **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** twee uur voor of vier uur nadat u kinoloon-antibiotika, tetrasiklien-antibiotika, penisillamien en tiroksien geneem het, wanneer u dit oraal inneem. Gebruik asseblief versigtig saam met bloedverduuners (soos warfarin).

Stel altyd jou gesondheidswerker in kennis indien jy enige ander medisyne gebruik.

HOE OM SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ TE GEBRUIK

Moenie jou medisyne met enige iemand anders deel nie. Neem **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** altyd presies soos aanbeveel in die voubiljet, of soos voorgeskryf deur jou dokter, apteker of gesondheidswerker.

Bewestig met jou dokter, apteker of gesondheidswerker indien jy onseker is.

- In die geval van kinders word slegs korttermyn gebruik aanbeveel en behoort nie 14 dae te oorskry nie, tensy anders voorgeskryf deur 'n dokter.
- Dien versigtig toe vir babas en klein kinders, terwyl hulle regop sit.
- Gebruik onverdund.
- Drink op 'n leë maag.
- Vir die beste resultate, hou in mond vir 2 minute voor die vloeistof ingesluk word.

Verkoue en griep:

- Hou vol vir 10 dae nadat alle simptome verdwyn het.

Kinders 7 maande-2 jaar oud: Dien 1 ml versigtig toe (met 'n pediatriese toediener) daaglik.

Kinders 3-5 jaar oud: Neem 2,5 ml twee tot drie keer per dag.

Kinders 6-12 jaar oud: Neem 5 ml twee tot drie keer per dag.

Volwassenes: Neem 10 ml-20 ml twee tot drie keer per dag.

Seer keel, sproei, ulkuse, afteuse ulkuse, letsels, pynlike tandvleis en tandheelkunde kwale:

Kinders 7 maande-5 jaar oud: Gebruik die **Silverlab Healing Spray™** of **Silverlab Healing Gel™** in die geval van jong kinders.

Kinders 6-12 jaar oud: Gorrel met 5 ml tussen die tande vir twee minute drie tot vier keer per dag. Spoeg in 'n wasbak uit.

Volwassenes: Gorrel met 10 ml tussen die tande vir twee minute vier tot agt keer per dag. Spoeg in 'n wasbak uit.

Inflammasie en immuunstelsel ondersteuning:

Kinders 7 maande-2 jaar oud: Dien 1 ml stadig toe (met 'n pediatriese toediener) daaglik.

Kinders 3-5 jaar oud: Spoel rond in mond en sluk dan, 2,5 ml daaglik.

Kinders 6-12 jaar oud: Spoel rond in mond en sluk dan, 5 ml daaglik.

Volwassenes: Spoel rond in mond en sluk dan, 10 ml daaglik.

Maag-aandoenings en urienweg kwale

- Neem asseblief kennis dat maag-aandoenings en braking gevaarlik kan wees, veral in babas en jong kinders. Kontak jou dokter indien daar gaan beterskap binne 24 uur is nie.
- Neem genoeg vloeistof en elektroliete in om gehidreer te bly en vul aan met probiotika.

Kinders 7 maande-2 jaar oud: Dien 5 ml versigtig toe, met 'n pediatriese toediener, twee tot drie keer per dag totdat die toestand opklaar.

Kinders 3-5 jaar oud: Neem aanvanklik 10 ml-15 ml. Moenie 20 minute eet of drink nie. Neem dan 5 ml-7,5 ml twee tot drie keer per dag totdat die toestand opklaar.

Kinders 6-12 jaar oud: Neem aanvanklik 30 ml-50 ml. Moenie 20 minute eet of drink nie. Neem dan 15 ml-25 ml drie keer per dag totdat die toestand opklaar.

Volwassenes: Neem aanvanklik 100 ml. Moenie 20 minute eet of drink nie. Neem dan 50 ml-100 ml drie keer per dag totdat die toestand opklaar.

- Raadpleeg u dokter as gastritis of urienweg simptome nie binne drie dae verbeter nie of as dit verswak.

Asemhalings kwale:

- Nebulisering van kinders moet onder voorskrif of toesig van 'n dokter gedoen word.
- Raadpleeg u dokter as die simptome nie verbeter nie of as daar verswakking is. 'n Verbetering behoort binne 1-6 dosisse waargeneem word.
- Simptome mag insluit hoes, kort asem, drukking op die bors en kan ook gepaard gaan met kopseer en algemene swakheid.
- Haal stadig en normaal asem, diep in en uit, tydens nebulisasie om lighoofdigheid te voorkom.
- Beste resultate word verkry wanneer mens in 'n regop posisie nebuliseer.
- Wissel af met asemhaling in deur die mond, en dan weer in deur die neus.

Kinders 6-12 jaar oud:

Dag 1 en 2: Nebuliseer met 2,5 ml elke uur totdat die simptome weselik verbeter of opklaar (gewoonlik binne 2 tot 12 doserings), of soos voorgeskryf.

Vanaf Dag 3: Nebuliseer met 2,5 ml twee tot drie keer per dag totdat simptome opgeklaar het (tot 14 dae).

Kinders 12 jaar en ouer:

Dag 1 en 2: Nebuliseer met 5 ml elke uur totdat die simptome weselik verbeter of opklaar (gewoonlik binne 2 tot 12 doserings), of soos voorgeskryf.

Vanaf Dag 3: Nebuliseer met 5 ml twee tot drie keer per dag totdat simptome opgeklaar het (tot 14 dae).

Volwassenes:

Dag 1 en 2: Nebuliseer met 5 ml elke uur totdat die simptome weselik verbeter of opklaar (gewoonlik binne 2 tot 12 doserings), of soos voorgeskryf.

Vanaf Dag 3: Nebuliseer met 5 ml twee tot drie keer per dag totdat simptome opgeklaar het (tot 14 dae).

INDIEN JY MEER SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ GEBRUIK HET AS WAT JY MOES

Indien oordosering vermoed word, raadpleeg onmiddellik jou dokter, apteker of die **Silverlab** kliëntediens kontak nommer. Indien geneene beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

INDIEN JY VERGEET HET OM SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™ TE NEEM

Moenie 'n dubbele dosis neem om te vergoed vir 'n dosis wat oorgeslaan is nie.

MOONTLIKE NEWE-EFFEKTE

Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™ kan newe-effekte veroorsaak. Let daarop dat die gebruik van kolloïdale silwer (veral as dit mondelings ingeneem of genebuliseer word) 'n Herxheimer-reaksie tot gevolg kan hê. Dit is wanneer simptome tydelik vererger en hoofpyn, uitslag en selfs koors kan insluit. Namate die patogeen afsterf, kom hierdie simptome voor en kan dit van 'n paar uur tot tien dae duur. Alhoewel hierdie tydperk ongemaklik kan wees, is dit 'n aanduiding dat die kolloïdale silwer werk. As dit verdraagsaam is en u gesondheidsorgwerker instem, moet u voortgaan met die behandeling - anders kan u die dosis tydelik vir 'n dag of twee verminder en dan die dosis geleidelik verhoog tot die aanbevole hoeveelheid. Dit is ook voordelig om baie water te drink om die gifstowwe uit die liggaam te verwyder.

Nie alle newe-effekte wat vir **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** gerapporteer is vir word in hierdie pamflet ingesluit nie. Raadpleeg u dokter,

apteker of ander gesondheidswerker vir advies indien u algemene gesondheid versleg of as u enige ongewenste effekte ervaar. As u enige nuwe-effekte opmerk wat nie in hierdie pamflet genoem word nie, moet jy jou dokter, apteker of gesondheidswerker daarvan in kennis stel.

BERGING EN WEGDOEN VAN SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Bewaar alle medikasie buite bereik en sig van kinders.

Bêre op 'n koel, donker plek, onder 25 °C.

Beskerm die produk teen sonlig en direkte hitte.

Moenie vries nie.

Bewaar in die oorspronklike houer.

Hou die houer dig toe.

Plaas die beskermings doppie terug na elke gebruik.

Moenie na die vervaldatum wat op die houer aangedui is gebruik nie.

Moenie **Silverlab Colloidal Silver Daily Immune Booster & Anti-Microbial™** gebruik indien jy enige sigbare tekens van produk verandering opmerk nie.

Moenie van ongebruikte medisyne ontslae raak in dreine of rioolstelsels nie (bv. toilette).

AANBIEDING VAN SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

- 200 ml en 500 ml ronde, bruin glasbottels met 'n polipropileen doppie en 'n lae digtheid poliëtileen/etileen vinielasetaat voering.
- 200 ml, 500 ml en 1 L bruin, ronde PET-bottel met 'n polipropileen doppie en 'n poliëtileen voering.
- 2,5 L semi-deursigtige, mat, vierkantige hoëdigtheid poliëtileen plastiek bottel met 'n polipropileen doppie en 'n poliëtileen voering.

IDENTIFIKASIE VAN SILVERLAB COLLOIDAL SILVER DAILY IMMUNE BOOSTER & ANTI-MICROBIAL™

Helder kleurlose vloeistof.

REGISTER NOMMER

Om aangekondig te word.

NAAM EN BESIGHEIDSADRES VAN DIE REGISTRASIESERTIFIKAATHOUER

Vervaardig deur:

Silverlab Healthcare

27 Malta Straat

Cosmo Business (Besigheid) Park

Roodepoort

2188

Suid Afrikaanse produk
Kliëntediens +27 83 450 2112
E-pos: info@silverlab.co.za
www.silverlab.co.za

TOEGANG TOT OOREENSTEMMENDE PROFESSIONELE INLIGTING

Sien inligting op bogenoemde webwerf.

HIERDIE VOUBIJLET WAS LAAS HERSIEN OP

10 Maart 2021.